Application No.: 10/595809 Amendment Dated: June 8, 2009 Reply to Office action of: May 20, 2009

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of

claims in the application:

**Listing of Claims:** 

Claims 1-3 (cancelled)

Claim 4 (currently amended): A connector chip comprising:

a rectangular parallelepiped insulating substrate having six surfaces, and

a plurality of conductive paths formed on an outer peripheral surface, which is

constituted by four continuous surfaces of the six surfaces, at a predetermined

interval in an opposing direction of reaming two opposing surfaces of the six

surfaces, and running round on the outer peripheral surface,

wherein on at least a pair of the surfaces opposing to each other among the

four surfaces, insulating layers having a property of repelling molten solder are

formed respectively between portions of two adjoining conductive paths among the

plurality conductive paths, located on the pair of the surfaces, and the insulating

layers are formed of an epoxy resin, a glass or the like.

Claim 5 (original): The connector chip according to claim 4, wherein each of

the conductive paths is constituted by forming one or more plated layers over a base

layer made of a metal thick film or a metal thin film.

Page 2 of 8

Application No.: 10/595809 Amendment Dated: June 8, 2009 Reply to Office action of: May 20, 2009

Claim 6 (cancelled)

Claim 7 (previously presented): The connector chip according to claim 4,

wherein the insulating layers formed on one surface of the pair of the surfaces and

the insulating layers formed on the other surface of the pair of the surfaces have

different colors.

Claim 8 (original): The connector chip according to claim 4, wherein in the

insulating substrate, a plurality of conductive-path-formed portions where the

conductive paths are formed and a plurality of conductive-path-unformed portions

where the conductive paths are not formed are alternately arranged along a center

line so that the conductive-path-formed portions and the conductive-path-unformed

portions share the center line; and

a width of each of the conductive-path-formed portions orthogonal to the

center line is smaller than a width of each of the conductive-path-unformed portions

orthogonal to the center line.

Claim 9 (original): The connector chip according to claim 4, wherein in the

insulating substrate, a plurality of conductive-path-formed portions where the

conductive paths are formed and a plurality of conductive-path-unformed portions

where the conductive paths are not formed are alternately arranged along a center

line so that the conductive-path-formed portions and the conductive-path-unformed

portions share the center line; and

Page 3 of 8

Reply to Office action of: May 20, 2009

a width of each of the conductive-path-formed portions orthogonal to the

center line is larger than a width of each of the conductive-path-unformed portions

orthogonal to the center line.

Claim 10 (original): The connector chip according to claim 5, wherein the

base layer is formed of a metal thick film including Ag (silver) or a metal thin film of a

Ni--Cr (nickel-chromium) alloy or Cu (copper); and

each of the one or more plated layers comprises a first plated layer made of

Cu (copper) or Ni (nickel) and a second plated layer made of a Sn (tin) alloy or Sn

(tin), formed over the first plated layer.

Claims 11-12 (cancelled)

Page 4 of 8